

References for Covered Species and Stanford conservation planning

Alvarez, J.A., C. Dunn, and A.F. Zurr. 2003. Response of California red-legged frogs to the removal of non-native fish. 2002/2003 Transactions of the western section of the Wildlife Society 38/39: 9-12.

Austin, C.C. and H.B. Shaffer. 1992. Short-, medium-, and long-term repeatability of locomotor performance in the tiger salamander *Ambystoma californiense*. Functional Ecology 6: 145-153.

Barry, S.J. and H.B. Shaffer. 1994. The status of the California tiger salamander (*Ambystoma californiense*) at Lagunita: a 50-year update. Journal of Herpetology 28: 159-164.

Bulger, J.B. Scott, N. J. and R.B. Seymour. 2003. Terrestrial activity and conservation of adult California red-legged frogs *Rana aurora draytonii* in coastal forests and grasslands. Biological Conservation 110: 85-95.

Bury, R.B. 1972. Habits and home range of the Pacific pond turtle, *Clemmys marmorata*, in a stream community. Unpublished Ph.D. thesis, UC Berkeley.

Bury, R.B. 1986. Feeding ecology of the turtle, *Clemmys marmorata*. Journal of Herpetology 20 515-521.

Bury, R.B. and J.H. Wolfheim. 1973. Aggression in free-living pond turtles (*Clemmys marmorata*). BioScience 23: 659-662.

Cowan, I.M. 1941. Longevity of the red-legged frog (*Rana a. aurora*). Copeia 1941: 48.

Davidson, C., H.B. Shaffer, and M.R. Jennings. 2001. Declines of the California red-legged frog: climate, UV-B, habitat, and pesticide hypotheses. Ecological Applications 11: 464-479.

Doubledee, R.A., E.B. Muller, and R.M. Nisbet. 2003. Bullfrogs, disturbance regimes, and the persistence of California red-legged frogs. Journal of Wildlife Management 67: 424-438.

Evelyn, M.J., D.A. Stiles and R.A. Young. 2004. Conservation of bats in suburban landscapes: roost selection by *Myotis yumanesis* in a residential area of California. Biological Conservation 115: 463-473.

Fellers, G.M. and P.M. Kleeman. 2007. California red-legged frogs (*Rana draytonii*) movement and habitat use: implications for conservation. Journal of Herpetology 41: 276-286.

Fellers, G.M. and P.M. Kleeman. 2007. Diurnal versus nocturnal surveys for California red-legged frogs. Journal of Wildlife Management 70: 1805-1808.

- Fellers, G.M., A.E. Launer, G. Rathbun, S. Bobzien, J. Alvarez, D. Sterner, R.B. Seymour, and M. Westphal. 2001. Overwintering tadpoles in the California red-legged frogs (*Rana aurora draytonii*). *Herpetological Review* 32: 156-157.
- Fitzpatrick, B.M. and H.B. Shaffer. 2004. Environment-dependent admixture dynamics in a tiger salamander hybrid zone. *Evolution* 58: 1282-1283.
- Fukushima, L. and E.W. Lesh. 1998. Adult and juvenile anadromous salmonid migration timing in California streams. *California Fish and Game* 84: 133-145.
- Geomatrix Consultants. 1992. Final Report Groundwater Resource Evaluation, Stanford University. Unpublished report for Stanford University Utilities Division.
- Gray, E. M. 1995. DNA fingerprinting reveals a lack of genetic variation in northern populations of the western pond turtle (*Clemmys marmorata*). *Conservation Biology* 9: 1244-1254.
- Hayes, M.P. and M.M. Miyamoto. 1984. Biochemical, behavioral, and body size differences between *Rana aurora aurora* and *Rana aurora draytonii*. *Copeia* 1884: 1018-1022.
- Holland, D.C. 1994. The western pond turtle: habitat and history. Final Report, U.S. Department of Energy, Project 92-068. 303 pages.
- Holland, D.C., M.P. Hayes, and E. McMillan. 1990. Late summer movement and mass mortality in the California tiger salamander (*Ambystoma californiense*). *Southwestern Naturalist* 35:217-220.
- Jennings, M.R. and Hayes, M.P. 1985. Pre-1900 overharvest of California red-legged frogs *Rana aurora draytonii* : the inducement for bullfrog introduction. *Herpetologica* 41:1 94-103.
- Kiesecker, J.M. and A.R. Blaustein. 1997. Population differences in responses of red-legged frogs (*Rana aurora*) to bullfrogs. *Ecology* 78: 1752-1760.
- Kiesecker, J.M. and A.R. Blaustein. 1998. Effects of introduced bullfrogs and smallmouth bass on microhabitat use, growth, and survival of native red-legged frogs (*Rana aurora*). *Conservation Biology* 12: 776-787.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001. Potential mechanisms underlying the displacement of native red-legged frogs by introduced bullfrogs. *Ecology* 82: 1964-1970.
- Kiesecker, J.M., A.R. Blaustein, and C.L. Miller. 2001. Transfer of a pathogens from fish to amphibians. *Conservation Biology* 15: 1064-1070.
- Leidy, R.A., G. Becker, and B.N. Harvey. 2005. Historical status of coho salmon in streams of the urbanized San Francisco estuary, California. *California Fish and Game Bulletin* 91: 219-254.
- Loredo, I., and D. Van Vuren. 1996. Reproductive ecology of a population of the California tiger salamander. *Copeia* 1996: 895-901.

- Loredo, I., D. Van Vuren, and M. L. Morrison. 1996. Habitat use and migration behavior of the California tiger salamander. *Journal of Herpetology* 30:282–285.
- McGinnis, S.M. 1984. Freshwater fishes of California. University of California Press, Berkeley and Los Angeles, California.
- Moyle, P.B. 1994. The decline of anadromous fishes in California. *Conservation Biology* 8: 869-870.
- Moyle, P.B. 2002. Inland Fishes of California. University of California Press, Berkeley and Los Angeles, California. Second edition, 502 pages.
- Moyle, P.B. and J.A. Israel. 2005. Untested assumptions: effectiveness of screening diversions for conservation of fish populations. *Fisheries* 30: 20-28.
- Nielsen, J.L., S.A. Pavey, T. Wiacek, and I. Williams. 2005. Genetics of Central Valley *O. mykiss* populations: drainage and watershed scale analyses. *San Francisco Estuary and Watershed Science* 3: article 3, 31 pages.
- Pittman, B.T. 2005. Observation of upland habitat use of California tiger salamanders based on burrow excavations. *Transactions of the western section of the Wildlife Society*: 41: 26-30..
- Pritchard. P. 1979. *Encyclopedia of turtles*. TFH Press, Neptune City, New Jersey.
- Rathbun, G.B. and J. Schneider. 2001. Translocation of California red-legged frogs (*Rana aurora draytonii*). *Wildlife Society Bulletin* 29: 1300-13003.
- Rathbun, G.B., N.J. Scott, Jr., T.G. Murphey. 2002. Terrestrial habitat use by Pacific pond turtles in a Mediterranean climate. *Southwest Naturalist* 47: 225-235.
- Rathbun, G.B., Siepel, N, and D. Holland. 1992. Nesting behavior and movements of western pond turtles *Clemmys marmorata*. *Southwestern Naturalist* 37: 319-324.
- Reese, D.A. 1996. Comparative demography and habitat use of western pond turtles in northern California: the effects of damming and related alterations. Unpublished Ph.D. thesis, UC Berkeley.
- Reese, D.A. and H.H. Welsh, Jr. 1997. Use of terrestrial habitat by western pond turtles, *Clemmys marmorata*,: implications for management. *Proceeding: Conservation, restoration, and management of tortoises and turtles. An International Conference. New York Turtle and Tortoise Society*, pages 352-357.
- Reese, D.A. and H.H. Welsh, Jr. 1998. Comparative demography of *Clemmys marmorata* populations in the Trinity River California in the context of dam-induced alterations. *Journal of Herpetology* 32: 505-515.

- Rigney, M., M. Westphal, and R. Seymour. Coyote Creek Riparian Station. 1993. Use of migrational data to assess habitat for California tiger salamanders at Stanford, California. Unpublished technical report to Stanford University.
- Riley, S.P.D., H.B. Shaffer, S.R. Voss, and B.M. Fitzpatrick. 2003. Hybridization between a rare, native salamander (*Ambystoma californiense*) and its introduced congener. *Ecological Applications* 13: 1263-1275.
- Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Onchorhynchus kisutch*) with special reference to Waddell Creek California, and recommendations regarding their management. California Department of Fish and Game, Fish Bulletin 98. 342 pages.
- Seeliger, L.M. 1945. Variation in the Pacific mud turtle. *Copeia* 1945: 150-159.
- Shaffer, H.B. G.M. Fellers, S.R. Voss, J.C. Oliver, and G.B. Pauly. 2004. Species boundaries, phylogeography and conservation genetic of the red-legged frog (*Rana aurora/draytonii*) complex. *Molecular Ecology* 13: 2667-2677.
- Shaffer, H.B., G.P. Pauly, J.C. Oliver, and P.C. Trenham. 2004. The molecular phylogenetics of endangerment: cryptic variation and historical phylogeography of the California tiger salamander (*Ambystoma californiense*). *Molecular Ecology* 13: 3033-3049.
- Sparling, G.W. and G.M. Fellers. 2007. Comparative toxicity of chlorpyrifos, diazinon, malathion, and their oxon derivatives to larval *Rana boylei*. *Environmental Pollution* 147: 535-539.
- Spinks, P.Q. and H.B. Shaffer. 2005. Wide-range molecular analysis of western pond turtle (*Emys marmorata*): cryptic variation, isolation by distance, and their conservation implications. *Molecular ecology* 14: 2047-2064.
- Spinks, P.Q., G.B. Pauly, J.J. Crayon, and H.B. Shaffer. 2003. Survival of the western pond turtle (*Emys marmorata*) in an urban California environment. *Biological Conservation* 113: 257-267.
- Sokol, D. 1963 The hydrology of the San Francisquito Creek Basin, San Mateo and Santa Clara Counties, California. Unpublished Doctoral Dissertation, Stanford University
- Stebbins, R.C. 1985. A field guide to western reptiles and amphibians. Second edition, revised. Houghton Mifflin Company, Boston, MA. 336 pages.
- Storer, T.I. 1915. Additional records of tiger salamanders in California. *Copeia* 1915: 56.
- Storer, T.I. 1930. Notes on the range and life-history of the Pacific fresh-water turtle, *Clemmys marmorata*. *University of California Publications in Zoology* 32:429-441.
- Temple, S.A. 1987. Predation of turtle nests increases near ecological edges. *Copeia* 1987: 250-252.

Trenham, P.C. 2001. Terrestrial habitat use by adult California tiger salamanders. *Journal of Herpetology* 35:343-346.

Trenham, P.C, Koenig, W.D. and H.B. Shaffer. 2001. Spatially autocorrelated demography and interpond dispersal in the salamander *Ambystoma californiense*. *Ecology* 82: 3519-3530.

Trenham, P.C. and H.B. Shaffer. 2005. Amphibian upland habitat use and its consequences for population viability. *Ecological Applications* 15: 1158-1168.

Trenham, P.C., H.B. Shaffer, W.D. Koenig, and M.R. Stromberg. 2000. Life history and demographic variation in the California tiger salamander (*Ambystoma californiense*). *Copeia* 2000: 365-377.

Twitty, V.C. 1941. Data on the life history of *Ambystoma tigrinum californiense* Gray. *Copeia* 1: 1-4.

Wu, J., R.M. Adams, and W.G. Boggess. 2000. Cumulative effects and optimal targeting of conservation efforts: steelhead trout habitat enhancement in Oregon. *American Journal of Agricultural Economics* 82: 400-413.

Zimmerman, C.E. and G.H. Reeves. 2000. Population structure of sympatric anadromous and nonanadromous *Oncorhynchus mykiss*: evidence from spawning surveys and otolith microchemistry. *Canadian Journal of Fisheries and Aquatic Science* 57: 2152-2162.